Certificate Number E97033

Report Reference E97033-20210407

Date 10-August-2023

Basler Electric Co Issued to:

12570 II Rt 143 Highland, IL 62249

United States

This is to certify that representative samples of

NRGU7 - Protective Relays Certified for Canada See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

IEEE C37.90.1, SURGE WITHSTAND CAPABILITY (SWC) Standard(s) for Safety:

TESTS FOR RELAYS AND RELAY SYSTEMS

ASSOCIATED WITH ELECTRIC POWER APPARATUS

Issue Date: 2012-08-30

CSA C22.2 No. 14-18 INDUSTRIAL CONTROL EQUIPMENT 13th Edition Revision Date: 2018/03

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questio contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/.



Certificate Number E97033

Report Reference E97033-20210407

Date 10-August-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
9579200, followed by 000 - 999	Protective Relays
BE1-FLEX, followed by K, followed by any four of the	Protective Relays
following: N0, L6, A9, X6, L2, X9, T3, M0 W9, N5, U4,	
C5, or A2, followed by any one of the following: N0, W9,	
N5, U4, C5, or A2, followed by N0, W9, N5, U4, C5, A2,	
E5, P7, W2, G3, H8, or H7, followed by 1, 2, or 3,	
followed by N or B, followed by 0 or 1, followed by any	
alphanumeric characters	
BE1-FLEX, followed by any six digits	Protective Relays

Debrah Jenning - Crese

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number E97033

Report Reference E97033-20210407

Date 10-August-2023

Basler Electric Co Issued to:

12570 II Rt 143 Highland, IL 62249

United States

This is to certify that representative samples of NRGU - Protective Relays

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

UL 508, 18th Ed., INDUSTRIAL CONTROL EQUIPMENT Standard(s) for Safety:

Issue Date: 2018-03-30

IEEE C37.90.1, Issue Date: 2012-08-30

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number E97033

Report Reference E97033-20210407

Date 10-August-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
9579200, followed by 000 - 999	Protective Relays
BE1-FLEX, followed by K, followed by any four of the	Protective Relays
following: N0, L6, A9, X6, L2, X9, T3, M0 W9, N5, U4,	
C5, or A2, followed by any one of the following: N0, W9,	
N5, U4, C5, or A2, followed by N0, W9, N5, U4, C5, A2,	
E5, P7, W2, G3, H8, or H7, followed by 1, 2, or 3,	
followed by N or B, followed by 0 or 1, followed by any	
alphanumeric characters	
BE1-FLEX, followed by any six digits	Protective Relays

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

(U)